

Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars	
1	Particulars of the Occupier	
	(i) Name of the authorized person (occupier or : operator of facility)	Mr Arvind Kumar
	(ii) Name of HCF or CBMWTF	HCH EICO Cancer Centre
	(iii) Address for Correspondence	Plot-Dh-4 Room-03-358 Ad-10
	(iv) Address of Facility	Newtown Kolkata
	(v) Tel. No, Fax. No	03361350000
	(vi) E-mail ID	len.kolkata@hegel.com
	(vii) URL of Website	www.hegonology.com
	(viii) GPS coordinates of HCF or CBMWTF	HCF
	(ix) Ownership of HCF or CBMWTF	(State Government or Private or Semi Govt. or any other)
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	Authorisation No.: 131-CM-BW-B-18 Valid upto: 30.09.23
(xi). Status of Consents under Water Act and Air Act	Valid upto: N/A	
2	Type of Health Care Facility	Private (Corporate)
	(i) Bedded Hospital	No. of Beds: 88
	(ii) Non-bedded hospital	
	Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	N/A
(iii) License number and its date of expiry	30.09.23	
3	Details of CBMWTF	
	(i) Number of health care facilities covered by CBMWTF	N/A
	(ii) No. of Beds covered by CBMWTF	
	(iii) Installed treatment and disposal capacity of CBMWTF;	N/A Kg / day
(iv) Quantity of bio medical waste treated or disposed by CBMWTF	N/A Kg / day	
4	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	Yellow Category: 450 kg / month
		Red Category: 100 kg / month
		White: 20 kg / month
		Blue Category: 70 kg / month
		General Solid Waste: -
5	Details of the Storage, Treatment, Transportation, Processing and Disposal Facility	
	(i) Details of the on-site storage	Size: -

facility		Capacity:			
		Provision of on-site storage : (Cold storage or any other provision)			
(ii) Disposal facilities	Type of treatment equipment	No of Units	Capacity Kg/day	Quantity Treated or disposed in kg per annum	
	Incinerators	2	Nil		
	Plasma				
	Pyrolysis				
	Autoclaves				
	Microwave				
	Hydroclave				
	Shredder				
	Needle tip cutter or destroyer				
	Sharps				
	Encapsulation or concrete pit			2	Nil
	Deep burial pits				
	Chemical disinfection:				
	Any other treatment equipment:				
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum	:	Red Category (like plastic, glass, etc.) Nil			
(iv) No. of Vehicles used for collection and transportation of biomedical waste	:	Nil			
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		Quantity Generated	Where disposed		
	Incineration	2	Nil		
	Ash				
ETP Sludge					
(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of		Medicams & Environmental Private Limited - Calicut Facility Phas-IP Kowthakka Kerala			
(vii) List of member HCF not handed over bio-medical waste.		-			
6 Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		Yes			

Details trainings conducted on BMW		
(i)	Number of trainings conducted on BMW Management	12
(ii)	Number of personnel trained	100
(iii)	Number of personnel trained at the time of induction	50
(iv)	Number of personnel not undergone any training so far	-
(v)	Whether standard manual for training is available?	yes
8	Details of the accident occurred during the year	
(i)	Number of Accidents occurred	N/A
(ii)	Number of persons affected	N/A
(iii)	Remedial Action taken (Please attach details if any)	N/A
(iv)	Any Fatality occurred, details	
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	- N/A
	Details of Continuous online emission monitoring systems installed	N/A
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	N/A
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	N/A
12	Any other relevant information	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from

March-2021 to April-2022

Arnab S. Raia
27/07/2022

Name and Signature of the Head of the Institution

ARNAB S. RAHA
Chief Operating Officer
HCG EKO CANCER CENTRE
New Town, Kolkata-156

Date: 27/07/2022

Place: Kolkata